



Recombinant Bovine Fibrinogen beta chain (FGB)

Product Code	CSB-MP008608BO
Storage	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
Uniprot No.	P02676
Product Type	Recombinant Protein
Immunogen Species	Bos taurus (Bovine)
Purity	>85% (SDS-PAGE)
Sequence	GHRPYDKKK EEAPSLRPVP PPISGGGYRA RPATATVGQK KVERKPPDAD GCLHADPD LG VLCPTGCKLQ DTLVRQERPI RKSIEDLRNT VDSVSRTSSS TFQYITLLKN MWKGRQNQVQ DNENVVNEYS SHLEKHQLYI DETVKNNIPT KLRVLR SILE NLR SKIQKLE SDVSTQMEYC RTPCTVTCNI PVVSGKECEK IIRNEGETSE MYLIQPEDSS KPYRVYCDMK TEKGGWTVIQ NRQDGSVDFG RKWDPYKQGF GNIATNAEGK KYCGVPGEYW LGNDRISQLT NMGPTKLLIE MEDWKGDKVT ALYEGFTVQN EANKYQLSVS KYKGTAGNAL IEGASQLVGE NRTMTIHNSM FFSTYDRDND GWKTTDPRKQ CSKEDGGGWW YNRCHAANPN GRYYWGGAYT WDMAKHGTDD GVVWMNWQGS WYSMCKMSMK IRPYFPEQ
Source	Mammalian cell
Target Names	FGB
Protein Names	Recommended name: Fibrinogen beta chain Cleaved into the following 2 chains: 1. Fibrinopeptide B 2. Fibrinogen beta chain
Expression Region	22-468
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag type will be determined during the manufacturing process.
Protein Length	Full Length of Mature Protein
Target Details	This protein is the beta component of fibrinogen, a blood-borne glycoprotein comprised of three pairs of nonidentical polypeptide chains. Following vascular injury, fibrinogen is cleaved by thrombin to form fibrin which is the most abundant component of blood clots. In addition, various cleavage products of fibrinogen and fibrin regulate cell adhesion and spreading, display vasoconstrictor and chemotactic activities, and are mitogens for several cell types. Mutations in this gene lead to several disorders, including afibrinogenemia, dysfibrinogenemia, hypodysfibrinogenemia and thrombotic tendency.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.



Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.